


List No : 41N v.e.f. 01-04-2024

A NAME IN LUBRICATION EQUIPMENT





# Company Profile

We are the largest and most successful company in our field because we continuously Satisfy our customer with the worlds best lubrication and pumping systems.

For more than 48 years companies have relied on our technical & quality leadership, our world-class manufacturing and customer service and vast network of distributors and support facilities. Prima develops new products and systems at research and development facilities in india. Germany & Italy that provide global and regional application solutions.



CONTENTS	AGE N	0.
Grease Gun	l t	o 5
Hand Operated Bucket Grease Pump	06	-07
Grease Gun Spares & Accessories	08	-10
Grease Nipples	11	
Hand Pump Accessories & Rubber Parts	12	
Hand Pump Oiler & Accessories	13	-14
Hand Pump	15	-16
Garage Tools & Pneumatic Pumps	17	-18



#### LEVER TYPE GREASE GUN



#### **LEVER TYPE GREASE GUN NEW**



#### LEVER TYPE GREASE GUN



#### **LEVER TYPE GREASE GUN**



#### **LEVER TYPE GREASE GUN**



#### **LEVER TYPE GREASE GUN**



#### MINI LEVER TYPE GREASE GUN



#### **LEVER TYPE GREASE GUN**



GREASE GUNS 01



#### LEVER TYPE GREASE GUN

# Russian Type Type of Lubricants : Light or Medium Duty Grease Cat No. Piston Capacity Finish Rate Per Pc. RMI-G-509 5/16" CC OZ 285 10 Black Painted 304.00

#### LEVER TYPE GREASE GUN



#### **LEVER TYPE GREASE GUN**




#### LEVER TYPE GREASE GUN



#### **LEVER TYPE GREASE GUN**



#### **DUAL LEVER TYPE GREASE GUN**



#### **LEVER TYPE GREASE GUN**



#### LEVER TYPE GREASE GUN



GREASE GUNS 02



#### LEVER TYPE GREASE GUN (PROFESSIONAL SERIES)

#### **Heavy Duty**

Type of Lubricants: Light or Medium Duty Grease



Cat No.	Piston	Сар	acity	Rate Per Pc.
RMI-G-101B	11/32"	cc –	oz 15	536.00

#### LEVER TYPE GREASE GUN (PROFESSIONAL SERIES)

#### **Heavy Duty**

Type of Lubricants : Light or Medium Duty Grease



Cat No.	Piston	Capacity		Rate Per Pc.
RMI-G-101	11/32"	cc _	oz 15	518.00

#### **PISTOL TYPE GREASE GUN**



#### **DELUXE MODEL OIL GUN**



#### MINI PISTOL TYPE GREASE GUN



#### **DELUXE MODEL OIL GUN**






Cat No.	Piston	Сар	acity	Finish	Per Pc.
RMI-G-503S	_	cc 160	oz 6	Silver grey / BCP	290.00

#### **GREASE CONTROL GUN**

RMI-G-512



oz

Zinc / Bright / Black

CC

#### **PUSH TYPE GREASE GUN**

**Bedford / POM POM Type** Type of Lubricants: Light Duty Grease



Cat No.	Piston	Cap	acity	Finish	Rate
	T ISCOIL	CC	oz		Per Pc.
RMI-G-506	>	160	6	C:I DI I	145.00
RMI-G-506 (I)	-	200	8 Silver grey or Black		168.00

GREASE GUNS 03

951.00



#### **PUSH TYPE GREASE GUN**



#### **SUCTION GUN**



#### MINI PUSH TYPE GREASE GUN




#### **PUSH TYPE GREASE GUN**



#### **SUCTION OIL GUN**



#### HAND OPERATED TRANSFER PUMP



#### **SUCTION OIL GUN**




#### **SUCTION GUN**



GREASE GUNS 04




#### **AIR DUSTER**



#### **SILICON GUN**



#### **TYRE INFLATOR WITH GAUGE**




#### **SILICON GUNS**



#### **CAULKING GUN**



#### LEVER TYPE GREASE GUN HEAVY DUTY



GREASE GUNS 05

## HAND OPERATED BUCKET GREASE PUMP



# HAND OPERATED BUCKET GREASE PUMPS



Cat No.	Capacity	Finish	Rate Per Pc.
RMI-BGP-3	3 kgs.	Red painted oven baked	3000.00
RMI-BGP-5	5 kgs.	Red painted oven baked	3400.00
RMI-BGP-10	10 kgs.	Red painted oven baked	4000.00
RMI-BGP-15	15 kgs.	Red painted oven baked	4450.00
RMI-BGP-20	20 kgs.	Red painted oven baked	5000.00
RMI-BGP-25	25 kgs.	Red painted oven baked	5350.00

# AIR GREASE LUBRICATOR FITTED WITH HOSE & CONTROL




Cat No.	Capacity	Rate Per Pc.
RMI-A-675	50 kg	21220.00
RMI-A-670	35 kg	19780.00
RMI-A-609	25 kg	16460.00
RMI-A-610	I5 kg	12890.00

#### HAND OPERATED BUCKET GREASE PUMPS



Cat No.	Capacity	Finish	Rate Per Pc.
RMI-BGPT-5	5 kgs.	Red gloss oven baked	3800.00
RMI-BGPT-10	10 kgs.	Red gloss oven baked	4300.00
RMI-BGPT-15	15 kgs.	Red gloss oven baked	4780.00
RMI-BGPT-20	20 kgs.	Red gloss oven baked	5400.00
RMI-BGPT-25	25 kgs.	Red gloss oven baked	5800.00

#### HAND OPERATED BUCKET OIL PUMPS



Cat No.	Capacity	Finish	Rate Per Pc.
RMI-BOP-25	25 Ltr.	Red gloss	3650.00
RMI-BOPT-25	25 Ltr.	Red gloss	4000.00
RMI-BOP-12	12 Ltr.	Red gloss	2950.00
RMI-BOPT-12	12 Ltr.	Red gloss	3640.00





	Mounted on Wheels		
RMI- BGP-6 (New)	6 kg Without Wheels	Red Painted oven baked	3500.00
RMI- BGP-10 (New)	10 kg Without Wheels	Red Painted oven baked	4000.00
RMI- BGPT-6 (New)	6 kg With Wheels	Red Painted oven baked	3950.00
RMI- BGPT-10 (New)	10 kg With Wheels	Red Painted oven baked	4300.00

#### **FILLER PUMPS**



Cat No.	Product Description	Rate Per Pc.
RMI-10360	Aluminimum Cast Head Fitted with zinc plated suction tube and alminium casted Flange. Useful For transferring thicker oils. Mat Black Powder coated cover. 4Ft PVC Hose Fitted with steel bend For discharge. Approximately delivers I pint per stroke (Without Bucket).	943.00
RMI-10361	Aluminimum Cast Head Fitted with zinc plated suction tube and aluminum casted flange. An ideal Grease Pump For bulk Filling of Grease Gun. Mat Black Powder Coated Cover. Bend Spout Fitted with loader to Fit the Fillernipple. Available in 3 different capacities 12.5 Kgs., 20 Kgs. & 55 Kgs. pails (Without Bucket)	797.00

#### PNEUMATIC AIR OIL PUMP



#### PNEUMATIC AIR GREASE PUMP



## GREASE GUN SPARES & ACCESSORIES



#### **DRUM DOLLIES**

Heavy Duty Welded Steel Construction With Powder Coated Finish Suitable For use with 20Ltr/60Ltr Containers



Cat No.	Capacity to hold Gallon Containers	Finish	Rate Per Pc.
RMI-D-3 (Light)	5	Black Painted	480.00
RMI-D-4 (Heavy)	16	Silver Grey/BCP	659.00

#### **SPARE HOSES & SPARE KIT**



Cat No. Components		Rate Per Pc.
RMI-SP-45(I)	High Pressure Wire Braided Hose Dia 1/4" * 2.2Meter Long (Swivel Type) LG Type	956.00
RMI-SP-45	High Pressure Wire Braided Hose Dia I/4" * 2.2Meter Long For Grease Bucket Pump Fitted with Rigid Spout & Hydraulic Coupon( Fixed Assembly)	896.00
RMI-SP-46	High Pressure Wire Braided Hose Dia 1/4" * 2.2Meter Long For Grease Bucket Pump without Accessories	831.00
RMI-Sparekit	Spare kit Comprising of 5Pcs Viz 1.Spring 2. Nylon Gland 3.Steel Ball 4. Filer Washer 5. Rubber Gasket.	56.00

#### **GREASE GUN CONNECTORS**



Cat No.	Product Description	Finish	Rate Per Pc
RMI-SP-I	Thrust on Connecter (Gun Metal)	Brass	117.00
RMI-SP-2	Hydraulic Adopter Heavy Duty/Coupler	B.C.P.	50.00
RMI-SP-5	Hook on Connecter (Gun Metal)	Brass	118.00
RMI-SP-6	Adopter Coupler (3 Jaws)	B.C.P.	38.00
RMI-SP-7	Push type Connector (Female- Concave- Recess) Coupler For Grease Gun (Female)	B.C.P.	15.00
RMI-SP-9	Small	Zinc Bright	15.00
RMI-SP-17	Extra Long	Zinc Bright	22.00
RMI-SP-18	Hydraulic adopter/coupler German Type	B.C.P.	39.00
RMI-SP-10	Adopter/ Coupler For Pistol type, Handle type Grease	Zinc Bright	15.00
RMI-SP-15	Gun Coupler for Deluxe Model Oilgun	Zinc Bright	15.00
RMI-SP-26	Small	Zinc Bright	15.00
RMI-SP-27	Medium	Zinc Bright	15.00
RMI-SP-28	Extra Long	Zinc Bright	22.00

Cat No.	Product Description	Finish	Rate Per Pc
RMI-SP-28A	Extra Long (From one end Hexagon & Round on Nozzle End) L Type Connector (Specially Designed to Lubricate Universal Joints	Zinc Bright	23.00
RMI-SP-29	Male	Zinc Bright	23.00
RMI-SP-29A	Pointed male Extra Long	Zinc Bright	24.00
RMI-SP-30	Female	Zinc Bright	23.00
RMI-SP-31	Coupler For Standard & Giant Flush type Fitting used basically on hand gun For oil/grease gun as rigid coupling is required For Filling Lubrications.	Zinc Bright	15.00
RMI-SP-32	Connector For use on Grease gun with Cancave recess to accommodate the canical tip of the nipple	Zinc Bright	15.00
RMI-SP-33	Male type Connector For use on Grease Gun/Oil guns	Zinc Bright	15.00
RMI-SP-34	Hydraulic Coupler Provides Quick Positive Leak proof connection with hydraulic Filings.	B.C.P.	39.00
RMI-SP-35	Grease Pressure Forces three hardened steel jaws. jaws are durable and long lasting	B.C.P.	39.00
RMI-SP-36	Extra Heavy Duty Hydraulic Adopter in single sealing & Gripping piston with ball check	B.C.P.	53.00
RMI-SP-37	Hydraulic Coupler has reversible Sure For 4 Jaws easy break away Features Jaws replaceable.	B.C.P.	38.00



#### **QUICK CONNECT DISPENERS**



Cat No.	Product Description	Finish	Rate Per Pc
RMI-SP-48	Available in Threads	Zine Bright	171.00
RMI-SP-49	I/8" BSP or I/8"BSPT or I/8"NPT or M10		171.00
RMI-SP-50			167.00
RMI-SP-51			123.00
RMI-SP-52			110.00
RMI-SP-53			86.00
RMI-SP-54			86.00
RMI-SP-55			86.00
RMI-SP-56			86.00

#### **NEEDLE NOSE DISPENERS**



Cat No.	Product Description	Finish	Rate Per Pc.
RMI-SP-57	Recommended to be used with manual	0	39.00
RMI-SP-58	Grease Guns For Fine Greasing. New Design of Needle allows to reach		45.00
RMI-SP-59	grease Fitting in confined areas		57.00

#### **QUICK CONNECT HOSE**



#### **GREASE GUN FLEXIBLE PIPES**



Rayon Braided Rubber Hose


Rayan Braided Rubber or Nylon Braided PVC Coated Hosepipe For lever type Grease Gun with end Fitiing 1/8"BSP thread or threading as pr customers requirement

Cat No.	Product Description	Rate F Rubber Hose	<b>Per Pc.</b> Nylon Hose
RMI-SP-4	8"/200mm long	57.00	53.00
RMI-SP-4(I)	12"/300mm long	71.00	57.00
RMI-SP-4(ii)	15"/380mm long	86.00	67.00
RMI-SP-4(iii)	18"/450mm long	95.00	71.00
RMI-SP-4(iv)	24"/600mm long	104.00	86.00

## GREASE GUN SPARES & ACCESSORIES



#### **GREASE GUN PIPES / CONNECTORS**



Cat No.	Product Description	Finish	Rate Per Pc
RMI-SP-11D	Nozzle Combined Straight Spout Threaded at the other end (Zinc Bright Finish) Bent \9"Long	Zinc Bright	21.00
RMI-SP-11 E	Nozzle Combined Straight Spout Threaded at the other end (Zine Bright Finish) Bent \6"Long	Zinc Bright	22.00
RMI-SP-11 F	Nozzle Combined Straight Spout Threaded at theother end (Zine Bright Finish) Bent 9-1/2"Long	Zinc Bright	27.00
RMI-SP-39	Standard Filler Nipple 1/8" BSP	Zinc Bright	27.00
RMI-SP-40	Grease Nipple Extension 1/8" BSP Internal Thread	Zinc Bright	18.00
RMI-SP-41	Snap Hexagun Joint 1/8" BSP Internal Thread	Zinc Bright	18.00
RMI-SP-42	Snap on Handy Greasing Extension 1/8" BSP	Zinc Bright	68.00
RMI-SP-43	Universal Button Head Greasing Coupler 1/8" BSP	Zinc Bright	150.00
RMI-SP-44	Z.Type Conncetor Uniiversal 360 Swivel Conncetor	Zinc Bright	158.00
RMI-SP-47	Button Head Greasing Coupler 1/8"BSP	Zinc Bright	98.00

Cat No.	<b>Product Description</b>	Finish	Rate Per Pc
RMI-SP-2A	Hydraulic Heavy Duty Adopter with Rigid spout For Lever Type Grease Gun	BCP/Zine	62.00
RMI-SP-3	Adopter /Coupler with Spout For Lever Type Gun	Zinc Bright	47.00
RMI-SP-8	Cranked Steel Rigid Feed Tube 1/8"BSP with Lock Nut with pointed coupler	Nickle Bright	35.00
RMI-SP-16	Flexible Pipe For Suction Gun C-Oil Gun 8"./200mm Long Fitted With nozzele		55.00
RMI-SP-16(1)	Bend Spout Goose Neck For Suction Gun	Nickle Bright	35.00
RMI-SP-16(11)	Bend Spout with special Nozzle For use For draining used in refilling inserts (textile Machine)	Nickle Bright	35.00
RMI-SP-11	Spout with Lock Nut For Lever type Grease Gun 6"	Zinc Bright	19.00
RMI-SP-11A	Spout with Lock Nut For Lever type Grease Gun 7"	Zinc Bright	20.00
RMI-SP-11 B	Extra Long Extension tube For reaching remote Fittings with locking nut 14" Long	Zinc Bright	43.00
RMI-SP-11 C	Nozzle Combined Straight Spout Threaded at the other end (Zine Bright Finish)5"Long	Zinc Bright	17.00

#### **RIGHT ANGLE COUPLER**



Cat No.	Product Description	Finish	Std. Packing	Rate Per Pc.
RMI-SP-49	Useful where space is confined and other coupler are difficult to fit. Fitted with most of grease gun		IPcs.	132.00

#### **PIN TYPE NIPPLE**



Cat No.	Product Description	Finish	Std. Packing	Rate Per Pc.
RMI-SP-45A	Pin constructed grease nipple. Hexagonal nut for easy tightening.	Chrome Plated Zinc Plated	IPcs.	39.00

#### AIR RELEASE VALVE



Cat No.	Product Description	Finish	Std. Packing	Rate Per Pc.
RMI-SP-44A	Spare fitting for grease gun. Air can be released by pressing the pin.	Chrome Plated Zinc Plated	IPcs.	29.00

#### PIN TYPE COUPLER



Cat No.	Product Description	Finish	Std. Packing	Rate Per Pc.
RMI-SP-47A	Gives quick & leakproof fitting with pin type nipple. Hex nut for easy tightening	Chrome Plated Zinc Plated	IPcs.	64.00



#### **GREASE NIPPLES**



RMI-GN-150



RMI-GN-120 S



RMI-GN-170 A



RMI-GN-170



RMI-GN-110



RMI-GN-312



RMI-GN-116



RMI-GN-II



RMI-GN-117



RMI-GN-501



RMI-GN-502



RMI-GN-303



RMI-GN-304



RMI-GN-316

#### Unified Fine Threads UNF - Threads

Cat No.	Threads	Туре	Rate Per 100 Pc.
RMI-GN-150	I/4"UNF	Straight	402.00
RMI-GN-170	I/4"UNF	45 Degree Bent	777.00
RMI-GN-170 A	I/4"UNF	45 Degree Bent	777.00
RMI-GN-120S	I/4"UNF	90 Degree Bent	777.00
RMI-GN-119	I/4"UNF	90 Degree Bent	777.00
RMI-GN-117	5/16"UNF	Straight	427.00
RMI-GN-118	5/16"UNF	46 Degree Bent	783.00

#### National Pipe Taper Threads - NPT Threads

Cat No.	Threads	Туре	Rate Per 100 Pc.
RMI-GN-110	I/8"NPT	Straight	584.00
RMI-GN-111	I/8"NPT	30 Degree Bent	849.00
RMI-GN-112	I/8"NPT	454 Degree Bent	849.00
RMI-GN-116	I/8"NPT	90 Degree Bent	849.00
RMI-GN-312	I/4"NPT	Straight	1199.00
RMI-GN-313	I/4"NPT	45 Degree Bent	1407.00
RMI-GN-311	I/4"NPT	90 Degree Bent	1407.00

#### British Standard Pipe BSP

Cat No.	Threads	Туре	Rate Per 100 Pc.
RMI-GN-303	I/8"BSP	Straight	595.00
RMI-GN-304	I/8"BSP	45 Degree Bent	895.00
RMI-GN-306	I/8"BSP	90 Degree Bent	895.00
RMI-GN-317 A	I/8"BSP	90 Degree Bent	895.00
RMI-GN-314	I/4"BSP	Straight	1199.00
RMI-GN-315	I/4"BSP	45 Degree Bent	1377.00
RMI-GN-316	I/4"BSP	90 Degree Bent	1377.00



RMI-GN-235





RMI-GN-222



RMI-GN-210



RMI-GN-203 RMI



**Metric Threads** 

Cat No.	Threads	Туре	Rate Per 100 Pc.	
RMI-GN-235	M6 ×I	Straight	386.00	
RMI-GN-222	M8 x1	Straight	433.00	
RMI-GN-210	MI0xI	Straight	595.00	
RMI-GN-238	M6 x1	45 Degree Bent	783.00	
RMI-GN-224	M8 x1	45 Degree Bent	895.00	
RMI-GN-212	MI0 xI	45 Degree Bent	910.00	
RMI-GN-229	M6 x1	90 Degree Bent	783.00	
RMI-GN-203	M8 x1.25	90 Degree Bent	935.00	
RMI-GN-208H	MI0 xI	90 Degree Bent	910.00	
RMI-GN-236 S	M6 x1	90 Degree Bent	783.00	
RMI-GN-207 S	M8 x1	90 Degree Bent	895.00	
RMI-GN-208 S	MIOxI	90 Degree Bent	910.00	

#### Industrial Round Button Head

Cat No.	Threads	Туре	Rate Per 100 Pc.	
RMI-GN-501	I/8"BSP	Straight	1311.00	
RMI-GN-502	I/4"BSP	Straight	1581.00	
RMI-GN-504	4 I/8"BSP Strai		1327.00	
RMI-GN-511	MI0×I	Straight	1327.00	

GREASE NIPPLES

### HAND PUMP ACCESSORIES & RUBBER PARTS



#### **ACCESSORIES FOR HAND ROTARY PUMP**









R-201 (23) **DRUM NUT** 

Cat No.	Product Description	Rate Per Pc.
RMI-R-201(20)	Heavy duty flexible delivery pipe (1 Mtr. long Rubber hose/PVC hose with steel discharge bent spout	
RMI-R-201(19)	Hose clamp for tightening rubber hose & steel discharge bent spout of flexible delivery pipe	39.00
RMI-R-201(18)	Barrel pump Bend-Heavy constucted steel pipe (Printed or chrome plated)	
RMI-R-201(23)	I (23) Drum nut-sand casting components used with barrel pump with 2" BSP standard thread	
RMI-R-201(12)	Handle for Rotary pump sand casting	107.00

#### **FOOT OPERATED AIR PUMPS ACCESSORIES**





Cat No.	Product Description	Rate Per Pc.
RMI-BC01	Ball Foot chuck with clip	127.00
RMI-BC02	Air Chuck	93.00

#### SYNTHETIC RUBBER WASHERS



Cat No.	No. Product Description		Rate Per Pc
RMI-SP-12	For Lever Type Grease Gun G-501/507/510	Natural	22.00
RMI-SP-13	For Bed Ford type Grease	Natural	15.00
RMI-SP-14	For Grease Gun G-504/505/513/C-Oil Gun	Natural	20.00
RMI-SP-19	For Grease Gun G-500/A-1010/A-1019	Natural	22.00
RMI-SP-20	For Mini Push Type	Natural	11.00
RMI-SP-21	For Grease Gun G-509	Natural	17.00
RMI-SP-22	For Grease Gun G-503	Natural	17.00
RMI-SP-23	For G-4808 Pistol Grease Gun	Natural	22.00
RMI-SP-24	For Mini Lever Type Grease Gun G-502	Natural	11.00
RMI-SP-25	For Mini Pistol Type Grease Gun G-4809	Natural	11.00
RMI-SP-38	For Gresae Gun G-4806	Natural	22.00

# SUCTION TUBE FOR HAND ROTARY PUMP



Cat No.	Product Description	Per Pc.
RMI-R-201(21)	01-1/4 X 16G, IMT. Long, ERW Steel pipe tobe used with 1" outlet Capacity Hand Rotary Pump	220.00
RMI-R-203/204(21)-2	For Hand Rotary with 2 Pcs sections	250.00
RMI-R-203/204(21)-3	For Hand Rotary with 3 Pcs sections	220.00



#### **HIGH PRESSURE METAL OIL CANS**



#### Wesco type

<b>Cat</b> Rigid Spout	<b>No.</b> Flexible Spout	Capacity	Rate Per Rigid Spout	Pozen Flexible Spout
RMI-R-100	RMI-R-122	I/4 Pint	887.00	959.00
RMI-R-101	RMI-R-123	I/2 Pint	1045.00	1123.00
RMI-R-102	RMI-R-124	3/4 Pint	1137.00	1205.00
RMI-R-103	RMI-R-125	I Pint	1268.00	1341.00
RMI-R-104	RMI-R-126	I.I/2 Pint	1445.00	1535.00
RMI-R-105	RMI-R-127	2 Pint	2074.00	2164.00

## Perfetto Type (Thumb Lever action solid steel pump with fixed/detachable spout)

Cat No.		Ci	Rate Per Dozen	
Rigid Spout	Flexible Spout	Capacity	Rigid Spout	Flexible Spout
RMI-R-116	RMI-R-116 A	200 CC	929.00	1009.00
RMI-R-117	RMI-R-117 A	300 CC	1078.00	1156.00
RMI-R-118	RMI-R-118 A	500 CC	1214.00	1292.00
RMI-R-119	RMI-R-119 A	700 CC	1440.00	1535.00
RMI-R-120	RMI-R-120 A	1000 CC	2078.00	2164.00

#### HAND OPERATED PISTOL OILERS



Made From seamless heavy Fauge steel body Forced Feed Pump with two steel ball valves, Steel pump. pump parts are removable For easy cleaning powder coated oven baked

#### With Base Ring

Cat No.	Name	Capacity	Rate Per Dozen
RMI-R-0108	Pistol Pump Oiler With base ring Rigid Spout	150 CC	690.00
RMI-R-0109	Pistol Pump Oiler With base ring Rigid Spout	180 CC	639.00
RMI-R-0112	Long Neck Pistol Oiler long Rigid Spout	500 CC	1006.00
RMI-R-0112A	Long Neck Pistol Oiler Flex. Spout	500 CC	1058.00
Hand Operate	ed		
RMI-R-12IS	Pistol Oiler	150cc	690.00
RMI-R-121J	Pistol Oiler	150cc	647.00
RMI-R-950	Plastic Bocy Pistol Oiler fitted Pressure Pump	150cc	497.00
RMI-R-951	Plastic Bocy Pistol Oiler fitted Pressure Pump	500cc	591.00

# HIGH PRESSURE PLASTIC BODY OILERS

Plastic Body Pump Oilers Fitted with Nylon Pump Machanism with Fixed/Flexible spout




Cat No. Flexible Spout	Capacity	Rate Per Dozen Fixed Spout   Flexible Sp		
RMI-POP-300	300 CC	684.00	743.00	
RMI-POP-500	500 CC	802.00	860.00	



#### PLASTIC BODY HAND OPERATED OILERS



#### **SPOUTS**



#### **BENCH OILER**



Cat No.	Name	Capacity	Rate Per Dozen
RMI-R-0110	Bench Oiler Snap Bottom(Metal Body) Rigid Sput	I2 Oz	722.00

#### **FUNNELS & MEASURES**



Cat No.	Product Description	Rate Per Pc.
-	4"Funnels	27.00
-	6"Funnels	39.00
-	7"Funnels	49.00
:=:	10"funnels	97.00
(-)	1.5Ltr.Measure Without Hose	82.00
-	I Ltr Measure With hose & lid	97.00
-	2 Ltr Measure With hose & lid	111.00
-	3 Ltr Measure With hose & lid	127.00
-	5 Ltr Measure With hose & lid	169.00
120	6" Funnels with hose & lid	76.00
-	9" Funnels with hose & lid	122.00
-	Garage Funnel	178.00





#### **HAND PUMPS**



Cat No.	Product Description	Rate Per Pc.
RMI-R-200	Hand Rotary Pump Extra Heavy Duty 1.1/2 Outlet Capacity 500CC per rev. delivery upto 15-20 Ft	2583.00
RMI-R-201	Hand Rotary Pump l'outlet Capacity ERW pipe on suction & chrome plated on delivery side	1385.00
RMI-R-202	Hand Rotary Pump 3/4"'outlet Capacity ERW pipe on suction & chrome plated on delivery side	1210.00
RMI-R-203	Hand Rotary Pump with telescopic pipe I" without Flexible outlet hose.	1444.00
RMI-R-203 A	Hand Rotary Pump with telescopic pipe I" with Flexible outlet hose I meter long	1537.00
RMI-R-204	Hand Rotary Pump with telescopic pipe 3/4"" with Flexible outlet hose I meter long	1355.00
RMI-R-204 A	Hand Rotary Pump with telescopic pipe 3/4"" without Flexible outlet hose	1268.00
RMI-R-205	Simple Barrel Pump with locking device 1/2'suction pipe ERW quality in 16 SWG	998.00
RMI-R-207	Barrel Pump Made stainless steel , used For pumping & Chemicals From drums of 200 Ltrs	7684.00
RMI-R-250	Hand Rotary Pump Heavy duy 1.1/4"outlet cap300c Discharge per Rev.,delivery up to 15ft.	2251.00
RMI-R-300	Hand Rotary Pump3" suctions & 3" delivery suitable For pumping lubricants From tank (with bend end pipe)	3905.00
RMI-R-301	This hand pumps made Stainless Steel (SS-304) For weak / strong acid & alkali liquids, resists nitric acids 40% Gasoline, Diesel, Fuel, Alcohol & Thinner, Chemical Liquids, Delivery 5 Ltrs. per 20 rotations	11150.00
RMI-R-302	This hand pumps made Stainless Steel (SS-316) For weak / strong acid & alkali liquids, resists nitric acids 40% Gasoline, Diesel, Fuel, Alcohol & Thinner, Chemical Liquids, Delivery 5 Ltrs. per 20 rotations	14661.00
RMI-J-3015	Hand Lever actions drum pump for oil transfer delivers upto 0.45Ltrs.RPM	1077.00
RMI-J-3016	Lever oil pump used for pumping gasoline, Gear oil, Diesel, Light oil, Kerosene	1077.00

HAND PUMP





#### **HAND PUMPS**



	PLASTIC PUMPS FOR HANDLING CHEMICALS	
RMI-R-90	All plastic rotary pump superior chemical resistant and effortless operation pump are supplied with 1" discharge spout 3 Pcs.47" long suction tube stainer & 2"NPT Polythene Adopter	2895.00
RMI-R-91(i)	Hand Pump Plastic For chemical, thinner, cleaning agents, Antifreeze 20Ltr. Capacity	525.00
RMI-R-91(ii)	Hand Pump Plastic For chemical, thinner, cleaning agents, Antifreeze with two suction tube lengths For 200Ltr capacity	565.00
RMI-R-92(i)	Lift Action Piston Pump down Stroke acting piston pump For 20Ltr capacity. For 20Ltr Drum Pump. Non Drip Nozzle For gear oil. Drain back Nozzle Holder to Ensure that excess oil grease on your workshop Floor. Dispeses output on the down stroke. I4stroke per Ltr	616.00
RMI-R-92ii	Lift Action Piston pump down stroke acting piston pump For 50Ltr capacity	661.00
RMI-R-93	Mega Pump very Simple Method to transfer Liquid (Single Pcs Packing in Poly bag)	407.00

HAND PUMP



#### **AIR OPERATED GREASE GUN**

40: I ratio air motor. Heavy duty head Construction for durability and long life. Rapid spin barrel threads for fast cartridge Replacement. 3-way loading bulk. Filler pump Or cartridge. Bleeder valve for purging Unwanted air. Durable follower rod 7 spring for Consistent priming. 4 jaw super grip coupler For better grip and longer service life.



Cat No.	Piston	Pressure	Capa	acity	Finish	Std. Packing	Rate Per Pc.
RMI-1027	3/8"	4800PSI/ 330BAR	470	15	Nickle Bright	12 Pcs.	2460.00

#### AIR ENGINE CLEANING GUN/OIL SPRAY GUN



Cat No.	Capacity cc oz	Finish	Std. Packing	Rate Per Pc.
RMI-D09CE	3.5 CFM	Red	2 Pcs.	729.00


#### HIGH PRESSURE SPRAY GUN

High efficiency transfer from medium to high viscosity materials in a wide variety of home improvement projects.

Well processing for air cap. set, nozzle & needle for fine atomization

Durable nozzle & needle offer stable performance for long terms.

Type of feed: Gravity
Standard Nozzle:∅ 1.8 mm
Optional Nozzle:∅ 1.5/1.8/2.0 mm





Cat No. Point Capacity Rate Per Pc.
RMI-W-7IG 400ML 1123.00

#### 5-IN-1 AIR TOOL KIT

Mainly used for car maintaining. It can supply spray painting, blowing off dust, pumping air to cars



 Quality Paint Spray Gun Nozzle: 1.5mm Air Pressure: 45-55 PSI Air Consumption: 40 PSI/ 5 CFM



Air Duster
 Air Pressure: 45-75 PSI
 Air Consumption: 40 PSI/5 CFM




Recoil Air Hose
 Length: 5 mtr.
 Capacity: Upto 170 PSI



4. Tyre inflator with gauge Capacity: 0-150 PSI



Engine Cleaning Gun
 Air Pressure: 30-35 PSI Air
 Consumption: 30 PSI/3.5 CFM



Cat No.	Product Description	Std. Packing	Rate Per Pc.
	5 Pcs. Air Tool Kit Consists of	l Kit	2345.00
RMI-FS-500A	• Paint Spray Gun • Air Duster • Recoll Air Hose		
	Tyre inflator with gauge • Engine cleaning gun		

## **GARAGE TOOLS & PNEUMATIC PUMPS**



#### **FOOT PUMPS & ACCESSORIES**



Cat No.	Product Description	Rate Per Pc.
RMI-FP-002	Heavy Duty Single Barrel Foot Pump with Dia 2 $$ I/4"	928.00
RMI-R-005	Air Chuck Having a Short stem Made From Brass	122.00
RMI-R-006	Air Chuck Having a Long stem Made From Brass	159.00
RMI-R-007	Twin Connecter Specially Designed For Infiation to twin tyres but are ideal For all tyre valves	179.00
RMI-R-008	Cycle & Motor cycle Air chuck valve I 0mm/8mm	160.00
RMI-R-009	Tata Air Wring Nut	71.00
RMI-PSG-221	Portable tyre Pressure gauge Pressure Range 0-100LBS	374.00
RMI-PSG-225	Pressure Gauge of Air, water, oil etc. 4"-102mm (0-15 PSI to 0-1000 Psi) 3/8" BSP Thread	517.00
RMI-R-010	Tyre Tube valve Die	27.00
RMI-R-011	Inflater and Gauge Kit	475.00

#### PRESSURE GAUGE



Model No. : RMI-1214

Size : 51mm (2inch)
Case : MS Drawn Case and
Bezel with Rubber

Cover Available in bristle Packing : Tyre Air Checking of

Application : Tyre Air Checking of Tractor, Scooter, Motor & Light Vehicle

Rate per Pc. : 289.00

d der n der

M. Siz Ra

Model No.: RMI-1215

Size : 51mm (2inch)
Range : 50, 100, 150 & 200 psi
Application : Air Pressure Checking

of Heavy Vehicles Tyre. Rate per Pc. : 338.00

#### HIGH FLOW PUMP

RMI launched following range HAND PUMPS for handling

- · Water Gasoline, Diesel, kerosine, Lubricant, Solvents, Ethyl Alcholo
- · Water based chemicals, Acids & Alkaline solutions.



RMI-304

#### Specifications:

Pump Type : Rotary - Gear Flow : I L / Stroke

Mounting : 2" MNPT Bung Adapter Suction Tube Length : 40" Maximum

Inlet : I-1/4" O.D.
Outlet : I" O.D. Curved Spout

Wetted Parts : Cast Aluminum, Plated Steel, NBR & PE Maximum

Viscosity : 500 SSU (or SAE 30)

#### Features:

- » Commonly used for dispensing or transferring low viscosity and non-corrosive petroleum based fluids, such as Petrol, Diesel, Kerosene, Lube, Fuel, Machine Oil, etc.
- » Supply with 2" bung adapter and 40" long plated steel suction tube to fit most 15, 30 and 55 gallon drums. Self-priming unit, dispenses approximately 1 liter per stroke.
- » Do not use with organic solvents, alkalis, acids and water-based fluids.
- » Supply with suction filter to sift the dirt and ensure pump life.

Cat No.	Size	Suction Tube	Product Description	Std. Packing	Rate Per Pc.
	500	One liter per rotation and 100 liters per mini Vertical conveying distance: 15m.	One liter per rotation and 100 liters per minute.	5 Pcs.	15500.00
RMI-304	1"		Vertical conveying distance : 15m.		
			Horizontal conveying distance : 50m		



 Model No.
 : RMI-1216

 Size
 : 64mm (2.5 inch)

 Range
 : 50, 100, 150 & 200 psi

 Application
 : Air Pressure Checking of Heavy Vehicles Tyre.

Rate per Pc. : 435.00



 Model No.
 : RMI-1217

 Size
 : 51mm (2 inch)

 Range
 : 50, 100, 150 & 200 psi

 Application
 : Air Pressure Checking of Light Vehicles Tyre.

Rate per Pc. : 334.00

## **GARAGE TOOLS & PNEUMATIC PUMPS**



#### **FOOT PUMPS & ACCESSORIES**



Cat No.	Product Description	Rate Per Pc.
RMI-FP-002	Heavy Duty Single Barrel Foot Pump with Dia 2 $$ I/4"	928.00
RMI-R-005	Air Chuck Having a Short stem Made From Brass	122.00
RMI-R-006	Air Chuck Having a Long stem Made From Brass	159.00
RMI-R-007	Twin Connecter Specially Designed For Infiation to twin tyres but are ideal For all tyre valves	179.00
RMI-R-008	Cycle & Motor cycle Air chuck valve I 0mm/8mm	160.00
RMI-R-009	Tata Air Wring Nut	71.00
RMI-PSG-221	Portable tyre Pressure gauge Pressure Range 0-100LBS	374.00
RMI-PSG-225	Pressure Gauge of Air, water, oil etc. 4"-102mm (0-15 PSI to 0-1000 Psi) 3/8" BSP Thread	517.00
RMI-R-010	Tyre Tube valve Die	27.00
RMI-R-011	Inflater and Gauge Kit	475.00

#### PRESSURE GAUGE



Model No. : RMI-1214

Size : 51mm (2inch)
Case : MS Drawn Case and
Bezel with Rubber

Cover Available in bristle Packing : Tyre Air Checking of

Application : Tyre Air Checking of Tractor, Scooter, Motor & Light Vehicle

Rate per Pc. : 289.00

d der n der

M. Siz Ra

Model No.: RMI-1215

Size : 51mm (2inch)
Range : 50, 100, 150 & 200 psi
Application : Air Pressure Checking

of Heavy Vehicles Tyre. Rate per Pc. : 338.00

#### HIGH FLOW PUMP

RMI launched following range HAND PUMPS for handling

- · Water Gasoline, Diesel, kerosine, Lubricant, Solvents, Ethyl Alcholo
- · Water based chemicals, Acids & Alkaline solutions.



RMI-304

#### Specifications:

Pump Type : Rotary - Gear Flow : I L / Stroke

Mounting : 2" MNPT Bung Adapter Suction Tube Length : 40" Maximum

Inlet : I-1/4" O.D.
Outlet : I" O.D. Curved Spout

Wetted Parts : Cast Aluminum, Plated Steel, NBR & PE Maximum

Viscosity : 500 SSU (or SAE 30)

#### Features:

- » Commonly used for dispensing or transferring low viscosity and non-corrosive petroleum based fluids, such as Petrol, Diesel, Kerosene, Lube, Fuel, Machine Oil, etc.
- » Supply with 2" bung adapter and 40" long plated steel suction tube to fit most 15, 30 and 55 gallon drums. Self-priming unit, dispenses approximately 1 liter per stroke.
- » Do not use with organic solvents, alkalis, acids and water-based fluids.
- » Supply with suction filter to sift the dirt and ensure pump life.

Cat No.	Size	Suction Tube	Product Description	Std. Packing	Rate Per Pc.
	500	One liter per rotation and 100 liters per mini Vertical conveying distance: 15m.	One liter per rotation and 100 liters per minute.	5 Pcs.	15500.00
RMI-304	1"		Vertical conveying distance : 15m.		
			Horizontal conveying distance : 50m		



 Model No.
 : RMI-1216

 Size
 : 64mm (2.5 inch)

 Range
 : 50, 100, 150 & 200 psi

 Application
 : Air Pressure Checking of Heavy Vehicles Tyre.

Rate per Pc. : 435.00



 Model No.
 : RMI-1217

 Size
 : 51mm (2 inch)

 Range
 : 50, 100, 150 & 200 psi

 Application
 : Air Pressure Checking of Light Vehicles Tyre.

Rate per Pc. : 334.00



#### **Terms & Conditions**

- 1. All Orders will be accepted in standard packing only.
- 2. Price are F.O.R Ludhiana.
- 3. GST will be charged extra as applicable.
- 4. We reserve the right to cancel any order or despatch the order in Full or in part subject to availability of stocks.
- 5. Our responsibility ceases on delivery of consignment to the carriers & receipt obtained.
- 6. Order should be accompanied with 20% advance by Bank Draft payable at Ludhiana.
- 7. We reserve the right to revise the price without any notice.
- 8. Interest @ 12% p.a will be charged if payment of bill will not reach us within 30 days from the date of bill.
- 9. All disputes are subject to Ludhiana Jurisdiction Only.





A NAME IN LUBRICATION EQUIPMENT

# RAJEEV METAL INDUSTRIES

- C-3, Textile Colony, Industrial Area-A, Ludhiana-141 003 (Pb.) INDIA
- 🗈 +91-161-5030680 to 688
- prima0008@gmail.com, primarmi8@gmail.com
- www.primatools.com